

LED FILAMENT LAMPS

[SPECIFICATIONS]

Features

- Instant On To Full Brightness
- Suitable for Damp Location
- Dimmable
- UL/CUL listed
- RoHS Compliant
- Energy Star Compliant
- 100% Mercury Free
- 3 Years Warranty
- Soft white
- Title 20 Compliant
- Glass Finishing: Clear



Benefits

- Full Range Dimming
- Energy Efficiency: Up to 90% less energy than traditional incandescent lamp
- Low Heat
- Long Life
- Durable

Specifications

Item number	Input voltage	Power	Incandescent Equiv.
DSB1160FILCL	120V 60Hz	5.5w	60w
Base type	Luminous flux	Efficacy(LPW)	CCT
E12	500 lm	91 lm/w	2700K
CRI	Beam angle	Dimensions	PF
90	360°	1.38*3.82 in	0.8
Dimmable	Glass finishing	Lifespan	Bulb type
YES	Clear	15,000 hrs	B11 Clear

Flint Lighting
1202, Maya Building, Nanyuan Street, Yuhang District, Hangzhou, China; 311100
www.flintlight.com



LED FILAMENT LAMPS

[SPECIFICATIONS]

Features

- Instant On To Full Brightness
- Suitable for Damp Location
- Dimmable
- UL/CUL listed
- RoHS Compliant
- Energy Star Compliant
- 100% Mercury Free
- 3 Years Warranty
- Soft white
- Title 20 Compliant
- Glass Finishing: Milky/White



Benefits

- Full Range Dimming
- Energy Efficiency: Up to 90% less energy than traditional incandescent lamp
- Low Heat
- Long Life
- Durable

Specifications

Item number	Input voltage	Power	Incandescent Equiv.
DSB1160FILWH	120V 60Hz	5.5w	60w
Base type	Luminous flux	Efficacy(LPW)	CCT
E12	500 lm	91 lm/w	2700K
CRI	Beam angle	Dimensions	PF
90	360°	1.38*3.82 in	0.8
Dimmable	Glass finishing	Lifespan	Bulb type
YES	Milky	15,000 hrs	B11 Milky

Flint Lighting
1202, Maya Building, Nanyuan Street, Yuhang District, Hangzhou, China; 311100
www.flintlight.com



LED FILAMENT LAMPS

[SPECIFICATIONS]

Features

- Instant On To Full Brightness
- Suitable for Damp Location
- Dimmable
- UL/CUL listed
- RoHS Compliant
- Energy Star Compliant
- 100% Mercury Free
- 3 Years Warranty
- Soft white
- Title 20 Compliant
- Glass Finishing: Clear



Benefits

- Full Range Dimming
- Energy Efficiency: Up to 90% less energy than traditional incandescent lamp
- Low Heat
- Long Life
- Durable

Specifications

Item number	Input voltage	Power	Incandescent Equiv.
DSB1140FILCL	120V 60Hz	3.3w	40w
Base type	Luminous flux	Efficacy(LPW)	CCT
E12	300 lm	91 lm/w	2700K
CRI	Beam angle	Dimensions	PF
90	360°	1.38*3.82 in	0.9
Dimmable	Glass finishing	Lifespan	Bulb type
YES	Clear	15,000 hrs	B11 Clear

Flint Lighting
1202, Maya Building, Nanyuan Street, Yuhang District, Hangzhou, China; 311100
www.flintlight.com



LED FILAMENT LAMPS

[SPECIFICATIONS]

Features

- Instant On To Full Brightness
- Suitable for Damp Location
- Dimmable
- UL/CUL listed
- RoHS Compliant
- Energy Star Compliant
- 100% Mercury Free
- 3 Years Warranty
- Soft white
- Title 20 Compliant
- Glass Finishing: Amber



Benefits

- Full Range Dimming
- Energy Efficiency: Up to 90% less energy than traditional incandescent lamp
- Low Heat
- Long Life
- Durable

Specifications

Item number	Input voltage	Power	Incandescent Equiv.
DSB1160FILAM	120V 60Hz	5.5w	60w
Base type	Luminous flux	Efficacy(LPW)	CCT
E12	500 lm	91 lm/w	2450K
CRI	Beam angle	Dimensions	PF
90	360°	1.38*3.82 in	0.8
Dimmable	Glass finishing	Lifespan	Bulb type
YES	Amber	15,000 hrs	B11 Amber

1202, Maya Building, Nanyuan Street, Yuhang District, Hangzhou, China; 311100
www.flintlight.com

