

LED FILAMENT LAMPS

[SPECIFICATIONS]

Features

- Instant On To Full Brightness
- Suitable for Damp Location
- CE Compliant
- RoHS Compliant
- ERP Compliant
- 100% Mercury Free
- 2 Years Warranty
- Soft white
- Glass Finishing: Clear
- Length: 78mm



Benefits

- Energy Efficiency: Up to 90% less energy than traditional incandescent lamp
- Low Heat
- Long Life
- Durable

Specifications

Item number	Input voltage	Power	Incandescent Equiv.
R7S	176~264V 50/60Hz	4w	40w
Base type	Luminous flux	Efficacy(LPW)	CCT
JR7S	450 lm	115 lm/w	2700K
CRI	Beam angle	Min starting temp.	PF
80	360°	-13°F	≥0.8
Dimmable	Glass finishing	Lifespan	Bulb type
NO	Clear	15,000 hrs	J type R7S

1202, Maya Building, Nanyuan Street, Yuhang District, Hangzhou, China; 311100
www.flintlight.com



LED FILAMENT LAMPS

[SPECIFICATIONS]

Features

- Instant On To Full Brightness
- Suitable for Damp Location
- CE Compliant
- RoHS Compliant
- ERP Compliant
- 100% Mercury Free
- 2 Years Warranty
- Soft white
- Glass Finishing: Clear
- Length: 118mm



Benefits

- Energy Efficiency: Up to 90% less energy than traditional incandescent lamp
- Low Heat
- Long Life
- Durable

Specifications

Item number	Input voltage	Power	Incandescent Equiv.
R7S	176~264V 50/60Hz	7w	60w
Base type	Luminous flux	Efficacy(LPW)	CCT
JR7S	800 lm	115 lm/w	2700K
CRI	Beam angle	Min starting temp.	PF
80	360°	-13°F	≥0.8
Dimmable	Glass finishing	Lifespan	Bulb type
NO	Clear	15,000 hrs	J type R7S

Flint Lighting
1202, Maya Building, Nanyuan Street, Yuhang District, Hangzhou, China; 311100
www.flintlight.com



LED FILAMENT LAMPS

[SPECIFICATIONS]

Features

- Instant On To Full Brightness
- Suitable for Damp Location
- CE Compliant
- RoHS Compliant
- ERP Compliant
- 100% Mercury Free
- 2 Years Warranty
- Soft white
- Glass Finishing: Clear



Benefits

- Energy Efficiency: Up to 90% less energy than traditional incandescent lamp
- Low Heat
- Long Life
- Durable

Specifications

Item number	Input voltage	Power	Incandescent Equiv.
G4	176~264V 50/60Hz	2w	25w
Base type	Luminous flux	Efficacy(LPW)	CCT
G4	250 lm	125 lm/w	2700K
CRI	Beam angle	Min starting temp.	PF
80	360°	-13°F	≥0.5
Dimmable	Glass finishing	Lifespan	Bulb type
NO	Clear	15,000 hrs	G4

1202, Maya Building, Nanyuan Street, Yuhang District, Hangzhou, China; 311100
Flint Lighting
www.flintligh.com



LED FILAMENT LAMPS

[SPECIFICATIONS]

Features

- Instant On To Full Brightness
- Suitable for Damp Location
- CE Compliant
- RoHS Compliant
- ERP Compliant
- 100% Mercury Free
- 2 Years Warranty
- Soft white
- Glass Finishing: Clear



Benefits

- Energy Efficiency: Up to 90% less energy than traditional incandescent lamp
- Low Heat
- Long Life
- Durable

Specifications

Item number	Input voltage	Power	Incandescent Equiv.
G9	176~264V 50/60Hz	2w	25w
Base type	Luminous flux	Efficacy(LPW)	CCT
G9	250 lm	125 lm/w	2700K
CRI	Beam angle	Min starting temp.	PF
80	360°	-13°F	≥0.5
Dimmable	Glass finishing	Lifespan	Bulb type
NO	Clear	15,000 hrs	G9

1202, Maya Building, Nanyuan Street, Yuhang District, Hangzhou, China; 311100
Flint Lighting
www.flintligh.com

